



Diethard Thieme
Skripte zur Baumechanik


Übungen
mit
Lösungen
BM 43




Stab	1	2	3	4	5
O	- 10	- 10	- 10	- 5	
U	0	10	5	0	
V	- 15	- 10	- 5	- 5	- 5
D	14,1	0	7,07	7,07	




Stab	1	2	3	4	5	6
O	0	- 25	- 25	- 25	- 25	0
U	15	30	15			
V	- 5	- 10	- 10	- 5		
D	- 33,6	22,4	- 11,2	- 11,2	22,4	- 33,6




Stab	1	2	3	4	5	6
O	- 5	- 10	- 5			
U	0	10	10	10	10	0
V	- 15	0	0	- 15		
D	11,2	- 11,2	0	0	- 11,2	11,2




Stab	1	2	3	4	5	6
O	- 20	- 20	0			
U	0	20	20			
V	- 30	- 20	0	- 10		
D	0	0	0	28,3	0	- 28,3




Stab	1	2	3	4	5	6
O	0	- 20				
U	0	10				
V	0	- 20	0			
D	- 14,1	14,1	0	14,1	0	14,1




Stab	1	2	3	4
O	- 23	- 23	- 13	- 13
U	26			
V	- 15	0		
D	28,75	- 3,75	- 16,25	16,25




Stab	1	2	3	4
O	1,41	17	- 11,3	
U	25	24	0	
V	2	1	8	- 16
D	- 1,41	- 22,6	11,3	




Stab	1	2	3
O	- 0,71	- 0,71	
U	18	0	
V	- 1	- 19	- 19
D	0,71	26,2	0




Stab	1	2
O	15	
U	- 27,9	- 18
V	17,1	
D	- 19	



Stab	1	2	3
O	63,6	67,1	67,1
U	- 45	- 84,9	- 84,9
D	- 21,2	0	0




Stab	1	2	3	4	5	6
O	- 24	- 12				
U	18	6				
V	- 40					
D	29,1	17,5	11,7	- 11,7	11,7	- 11,7




Stab	1	2	3	4	5
O	12,5	12,5			
U	- 25	0			
V	37,5	37,5	12,5	12,5	0
D	- 53	- 17,7	0	- 70,7	


"Balken" mit einem festen Gelenklager und einem Pendelstab (D4)




Stab	1	2	3	4
O	20	0		
U	0	- 20		
V	0	- 20	0	- 40
D	- 28,3	28,3	18	18




Stab	1	2	3	4	5
O	17,5	12,5			
U	5				
D	5,59	- 5,59	5,59	- 27,9	- 28,3




Stab	1	2	3	4
O	20	20		
U	- 62,5	- 27,5		
V	62,5	- 12,5	- 70	0
D	- 78,3	88,4	10,5	- 28,3




Stab	1	2	3	4
O	- 44,4	- 44,4	- 36,7	- 36,7
U	17	38,1	11,4	25,4
D	0	0		




Stab	1	2	3	4	5	6	7	8	9
O	0	80							
U	80	80	40	- 40					
V	40								
D	- 113,1	0	0	0	0	56,6	- 56,6	- 56,6	56,6






Dreigelenk"rahmen" mit
Zugband (U3) und
Scheitelgelenk "c"

Stab	1	2	3	4
O	- 52,2	- 52,2	- 44,5	- 44,5
U	40,9	34,8	17,9	
D	0	44,2	31,5	0



Stab	1	2	3	4
O	- 61,7	61,7		
U	25	- 35,4	35,4	
V	108,3	- 108,3		
D	81,4	135,4	- 135,4	- 81,4

Gelenkträger aus zwei Fachwerkscheiben über zwei Felder mit Feldgelenk "c" und Kragarm



Stab	1	2	3	4	5	6	7	8
O	- 5,55	- 11,1	- 16,7	33,3	50	0		
U	0	5,55	11,1	16,7	- 16,7	- 16,7	33,3	- 50
V	- 5,55	- 5,55	- 5,55	16,7	0	16,7	- 50	- 50
D	7,86	7,86	7,86	- 23,6	23,6	- 23,6	- 23,6	70,7